


Proposals for works to our cathedrals are managed under the Care of Cathedrals Measure 2011.



# The Care of Cathedrals Measure 2011

The Measure is a framework that explains:

- The roles and duties of the [Cathedral Fabric Commission for England](#)
- The roles and duties of [local Fabric Advisory Committees](#)
- The types of [works that require permissions](#)
- The roles and duties of the cathedral [architect or surveyor, and archaeologist](#)
- The roles and duties of cathedrals to put together and maintain an inventory of its property and objects of outstanding interest
- The boundaries of the cathedral precinct

It supports us when we:

- Look at proposals for change to our cathedrals, their content, surroundings and archaeology
- Try to understand and justify the impact those changes might have
- Want to make sure that any work done is appropriate, sustainable and in line with best practice

A user's guide to the Care of Cathedrals Measure 2011 and how to make an application is available [here](#)

“Our aim is not to prevent change, but to enable change to be responsibly managed.”

*Thomas Ashley, Senior Cathedrals Officer*

# The Care of Cathedrals Rules 2006

The [Rules 2006](#) and the [\(Amendment\) Rules 2020 for Inventories](#) explain the procedures we use to operate the [Measure](#).

## Other types of permissions you might need

You may still need to obtain permissions from secular planning, including:

- [Scheduled monument consent](#) for works to scheduled monuments
- [Listed buildings consent](#) for works to listed buildings within the precinct
- [Planning permission](#) (e.g. extensions, works to the exterior of the cathedral, etc.)

Finally, you are not exempt from the provisions of the [Equality Act 2010](#), or from [legislation governing trees](#), [wildlife](#) or [health and safety](#)

## Also of interest



## [What type of work requires permission?](#)



[t committee](#)

## [Advice and guidance for cathedrals](#)

[Everything from new art to lighting and sound equipment](#)

